




KVASER DIN RAIL S020-X10 ANALOG ADD-ON

EAN 73-30130-01066-6

The Kvaser DIN Rail S020-X10 Analog is an optional add-on module to the Kvaser DIN Rail SE400S-X10 base module. With four analog inputs and four outputs, this IP20-rated module is thermal, reverse-polarity protected and surge power supply protected. The input voltage range is fixed (between 0 and 10V), and resolution is 12 bits. A power LED displays the state of the module.

KVASER DIN RAIL S020-X10 ANALOG ADD-ON

EAN 73-30130-01066-6

Major Features


- Supports four analog and four digital outputs, controllable through the base module.
- CLASS 2 rated input voltage of 24 VDC (-15%/+20%).
- IP20 rated, plus thermal, reverse-polarity and surge protection.
- Smart clip system for easy mounting on DIN Rail; no tools needed

Related Products

- Kvaser DIN Rail SE400S-X10 base module
EAN 73-30130-01059-8
- Kvaser DIN Rail S010-X10 Digital add-on
EAN 73-30130-01065-9
- Kvaser DIN Rail S030-X11 Relay add-on
EAN 73-30130-01067-3

Technical Data

Power Supply Voltage	24 VDC (-15%/+20%)
Input Current, 24V SYS	-
Input Current, 24 Process	150 mA
Plug-in Current	< 2A @ 1 ms
Surge Protected Power Supply	Yes
Reversed Polarity Protected	Yes
Power Dissipation Typical	2.1 W
Power Dissipation Max	3.0 W
Transmission Medium	Internal Optical Serial Interface
Data Transfer Rate	1.5 Mbits/s
UDP Message to Output	2 ms
Input to UDP Transmission	2 ms
Dimension of Single Module (W x D x H)	33.3 x 75 x 101 mm
Weight	95 g
Installation Position	Variable
Degree of Protection	IP20



WARRANTY

2-Year Warranty. See our General Conditions and Policies for details.

SUPPORT

Free Technical Support on all products available by contacting support@kvaser.com.

SOFTWARE

Documentation, Kvaser CANlib SDK and drivers can be downloaded for free at www.kvaser.com/downloads.

Kvaser CANLIB SDK is a free resource that includes everything you need to develop software for the Kvaser CAN interfaces. Includes full documentation and many program samples, written in C, C++, C#, Delphi, and Visual Basic.

All Kvaser CAN interface boards share a common software API. Programs written for one interface type will run without modifications on the other interface types!

J2534 Application Programming Interface available.

RP1210A Application Programming Interface available.

Online documentation in Windows HTML-Help and Adobe Acrobat format.

